BLOOD REQUISITION



13TH - 17TH MAY 2024











- Bulk Requisition
- Nominative Requisition
- Emergency Requisition

ypes of blood requisitions

- Bulk Requisition
- This is the request of blood products with intention to replenish the stock
- Fill the request order form: showing;
- Previus requisition quantity
- Transfused Quantity
- Expired Quantity
- Current Stock status
- Required Quantity

BULK ORDER FORM

пеани г	acılıty	/ :
Date:	/	/

Use blood and blood components rationally. Refer to guidelines

		PREV	/IOUS	LY ISS	UED E	BLOOE)		ļ		TRA	NSFU	SED	BLOO	D UN	IITS	ļ	-	ļ	EXP	IRED	BLOC	D UN	IITS		-	ļ	
BLOOD COMPON	ENT			RED	BLOO	D CEL	LS		1 1 1 1 1	Tot			RED	BLOOL	CEL	LS			Tot			RED I	BLOOI	CEL	LS			To
BLOOD GROUP		(0		A		В	A	В		١,	0	,	A		В	A	В		١ ,	0		A		В	4	ΔB	
		pos	neg	pos	neg	pos	neg	pos	neg		pos	neg	pos	neg	pos	neg	pos	neg		pos	neg	pos	neg	pos	neg	pos	neg	
UNITS OF	100ml																							1				
UNITS OF	200ml																		-									-
ADULT UNITS																												
Temperature of th	e previous	orde	r		°C N	lorma	Irange	e 1-10	°C																			
		II. BL	OOD	REQ	UISIT	ION																						
					CURF	RENT	STOC	K						REQU	ESTE	D QT	Y						RECE	IVED (QTY			
COMPONENTS				RED	BLOO	D CEL	LS			Tot			RED	BLOOL	CEL	LS			Tot			RED I	BLOOK	CEL	LS			Tot
BLOOD GROUP		(0		A		В	Α	В			0		Ą		В	A	В		<u> </u>	0		A		В	-	\B	
		pos	neg	pos	neg	pos	neg	pos	neg		pos	neg	pos	neg	pos	neg	pos	neg		pos	neg	pos	neg	pos	neg	pos	neg	
UNITS OF	100ml		ļ			-																						<u>_</u>
UNITS OF	200ml																		-									
ADULT UNITS																												
1					ITE	M								REQU	ESTE	D QT	Y:						ISS	UED (QTY:			
1			BLO	OD T	RANS	FUSI	ON SE	TS																				
Signature & st	amp of	the	real	ıesti	ng fa	acilit	v:									Sign	atu	r	stan	nn o	f the	RCE	ìT.					

NOMINATIVE REQUISITION

• This is the requistion originating from the the ward with intention to transfuse a patient.

Ordering the Transfusion

- Fill the blood transfusion order form signed by the Medical doctor ordering the blood transfusion
- Collect the patient blood sample for grouping and Cross-match, lebel it and send to the laboratory

Blood Sample for the Patient

It should be well labelled with patient information tallying with that on the request form.

Sample collection will depend on SOP in use or Manufacturer's insert

6

Blood Transfusion Order Form

A Healthy People. A Wes	AL CENTER BIOMEDICAL SERVICES NATIONAL CENTRE FOR BLADED TRANSFI	OSTO STO STO STO STO
Tel. Kigali: 0252570408	, Butare: 0252530443 , Ruhengeri:0252546510, Rwamagana: 0252567385, Karongi-02525	USION (RECTBIOSONO
	BLOOD TRANSFUSION ORDER FORM leted by Doctor. Blood will not be issued unless this form is completed in every detail by the issed on the Medical Officer's responsibility.	BTOBTO
1. Date Ordered:/ 2. Blood Component ned 3. Patient Names*: 4. Age **:_/ 6. Previously transfused 7. If yes, when last trans 8. History of Pregnancy v 9. Patient Location Hosp	Clinical Information/Diagnosis: Urgent Patient ID: S. Sex: M, F Full Series of Section 1 of Section 2 of Se	
10. Test request: 11. Sample information Send 4 ml of wel label	ABO/RH Crossmatch/Compatibility testing Other - specify: Crossmatch/Compatibility testing Other - specify: Crossmatch	
	ts (Check all that apply)	
Blood components	Guidelines for transfusion *See guidelines booklet for more details	Pre Trans Parameters
Red Blood Cells (HCT: 65-75%) (Hb ≥ 45g/dl)	HB < 6g/dl in patients normal or high plasma volume. Hb < 7g/dl for patients with unstable hemodynamics Hb < 8g/dl in orthopaedic patients in perioperative period, active Gl bleeding Hb < 8g/dl Cardiac patients scheduled for cardiac and none cardiac surgery Treatment of actively bleeding patients when blood loss exceeds 25% of blood volume Other-specify:	HCT: Hgb:
Platelets (Approx ≥ 5,5 x 10 10 WB platelets) Approx 3.0 to 5.1 x 10 13 Apheresis platelets)	Platelet count < 10.000plts/uL to all patients who are chronically thrombocytopenic. Thrombocytopenia with Platelet count < 50,000 plts / uL in patient with active bleeding Thrombocytopenia with Platelet count < 50,000 plts / uL in patient undergoing neurosurgery, retino-surgery, Spinal surgery. Other-specify:	PLT Count:
Fresh Frozen plasma (FFP)	Acute hemorrhage secondary to coagulation factor deficiency including bleeding, coumadin/Warfarin therapy. Massive transfusion with coagulopathy bleeding. Treatment of severe hemorrhages with liver failure. Burns and bleeding with severe hypoproteinemia. Other - specify:	PT: PTT: INR:

Nominative Requisition Cont,

- In the Laboratory
- The Lab staff receive the sample and verify whether;
- a) The names, ID number, ward, age and sex of the patient on the sample tube match that one on the request form.
- b) whether the sample is safficient for the tests required
- c) whether the sample has been collected in the correct test tube
- d) wheteher the request form has been accurately filled
- After verifying the above information the lab staff will accept the sample or reject it depending on the findings.

Cross-Match Form

For Lab Us	e Only			1	1054		ABO	& Rh	TYPIN	IG.					
						Knowr	Antise	ra		Know	n Red	Cells			
Patient Iden	tification				Specimen ID	Anti-	Anti- B	Anti- AB	Anti- D	A Cells	B Cells	O Cells		Group & Rhesus	Initials
Name and S (Tubes): Age	_	Sex:					-								
Mother Spe		Bur train							- 11					1	
Specimen La Details on sp	oonents neede abel checked b oecimen agree	d on:Date: by: with those on requ ip on:	Dat	Time	YES NO	ime:	/ Ur NO, rec	gent: S ord on	ign: Rejec	tion Fo	orm		Yes _	No	
					ch read by										
Product Type	Pack Number	ABO Group & Rhesus		ross-mat				1 1 1		ne:		The	signatu	re of the p	
Product	Pack	ABO Group &	Expiry	ross-mat	smatch		Issued	1 1	Tir	ne:		The sissuif	signatuing the lang the language of the exponential contraction of the language of the languag	olood certination or sis is absenting date h	nt as not exist s on the

Blood Grouping and Cross-Match

• Blood grouping and Cross-match: To refer to SOP

 After cross-matching to inform the the requesting service and issue the blood component.

• Issuing: Visual Inspection of the product

Record in the Register

Sample Rejection

- samples which do not conform to the requirements have to be rejected irrespective of the condition of the patient.
- sample rejection form is filled signed and given to the person who brought the sample to lab, to take it back to the ward and collect a new sample
- The sample remains in the laboratory; it is kept for some days

Sample Rejection Form



RWANDA BIOMEDICAL CENTRE | BIOMEDICAL SERVICES | BLOOD TRANSFUSION DIVISION (RBC | BIOS | BTD)

SAMPLE REJECTION FORM

DATE	PATIENT	FACILITY/SERVICE	REASON FOR REJECTION	CORRECTIVE ACTION	SHIPPER NA	ME	TECH INITIALS
	/DONATION ID				AND SIGNATU	JRE	and signature

EMERGENCY REQUISITION

- This is a request done in cases of extreme emergency where a delay in transfusion could be detrimental to the patient.
- It involves the following products:
- a)Emergency release of O Rh Negative to Non Rh Negative Recipient
- b)Emergency release of incomplete or Uncross-matched red blood cells
- c)Emergency release of Untested Blood products or any nonconforming blood products.
- d)Emergency release of RBC / Platelets of O Rh positive donor to Rh Negative recipient

Emergency Requisition Cont,

- Emergency release of blood components includes;
- The release of of blood procucts for which TTI tests are not completely performed
- Rh positive blood/ platelets to Rh negative recipents
- Release of blood while waiting for the resolution of ABO dicrepancies
- Release of the least compatible blood

Emergency Request Form



RWANDA BIOMEDICAL CENTRE | BIOMEDICAL SERVICES | BLOOD TRANSFUSION DIVISION (RBC | BIOS | BTD)

	EMERG	ENCY F	REQUEST FOR RELEA	ASE O	F BLOOD COMPON	ENTS	
Tick as appropria	te						
I am requesting emer	gency release of:		O Rhesus Ne	gative	Red Blood Cells (R	BCs)	
			O Rhesus Pos	itive	Red Blood Cells		
			■ Non Iso-ABC	plate	elets		
			Platelets/RB	Cs fro	m Rh Pos Donor fo	Rhesus Neg	Recipient
			☐ Incomplete/	uncro	ssmatched Red blo	od cells	
			☐ Incomplete/	untes	ted blood Product		
			Other (specif	y):			
Patient Names:				Age	:	Biologica	l parameters
Medical Record Num	nber:			Sex:		Hte:	
Patient Location	Hospital:					Hb:	
	Department:		SURG		EMERG	RBCs Cou	ınt:
			OBS & GYN		MED	PLT Cour	nt:
			PED		DIALYSIS	Bleeding	Time:
			NEONAT		ICU		
			Other - specify:			Others:	
	Ward:	Bed:					
Number of Units req	uested & Product T	ype:	RBCs		FFP	Cryo	PLT

BTD PART



RWANDA BIOMEDICAL CENTRE | BIOMEDICAL SERVICES | BLOOD TRANSFUSION DIVISION (RBC | BIOS | BTD)

To be completed b	y BT Lab technic	ian		
Date: T	ime: La	boratory Technician Name		
Pre-transfusion red	•	· —	smatch_Immediate spin	
Crossmatch_Te	st in Coombs			
Anti HCV	HBsAg	HIV Ag/Ab ½ Sy	philis	
Platelet/RBCs fr	om Rhesus Posit	ive donation to Rhesus Negative I	Recipient	
Other (Explain):	·			
Donation #	Product Type	Donor test History (Only if TTIs not tested	Last visit at which all test were completed and were	Comments

Emergency Requisition Cont,

- In case the time to be taken while initiating the emergency release form can endanger the patient's life, a verbal request to the lab can be accepted but the form should be filled afterwads and send it to the lab.
- The ordering physian should consult with the BTD physician
- When a decision is taken to transfuse blood products whose tests are not done or not completely done the lab can issue the blood but must proceed to do the tests or complete the unfinished tests and communicate the results to Physician later.

Emergency Requisition Cont,

 All the telephone conversation and instructions concerning the emergency release of blood between the physician and the lab must be recorded on the telephone calls log

TELEPHONE CALL LOG

elephone Location:		TEL	EPHONE CALLS LOG
CICPIII CITE COLOR			
Incoming Call	Outgoing Call		(Please tick appropriate box)
Organisation:			Person Talked to:
Date:	Time:		Contact number or extension (if necessary)
Subject of Call:			
Name:			Signature
	Rwanda		
100	Biomedical		
100	Biomedical Centre		
Fealthy People, Wealthy National Company of the Indian Company of	Biomedical Centre	I BLOO	D TRANSFUSION DIVISION (BBC/BIOS/BTD)
	Biomedical Centre		D TRANSFUSION DIVISION (RBC/BIOS/BTD) EPHONE CALLS LOG
	Biomedical Centre		D TRANSFUSION DIVISION (RBC/BIOS/BTD) EPHONE CALLS LOG
	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES		
elephone Location	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES		
WANDA BIOMEDICAL CE	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES		
elephone Location Incoming Call Organisation:	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES Outgoing Call		(Please tick appropriate box) Person Talked to:
elephone Location	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES		(Please tick appropriate box) Person Talked to:
elephone Location Incoming Call Organisation: Date: Subject of Call:	Biomedical Centre Lion NTRE/BIOMEDICAL SERVICES Outgoing Call Time:	TEL	(Please tick appropriate box)
elephone Location Incoming Call Organisation: Date: Subject of Call:	Biomedical Centre tion NTRE/BIOMEDICAL SERVICES Outgoing Call	TEL	(Please tick appropriate box) Person Talked to:



THANK YOU!