



Interprovincial Organ Sharing (IPOS) of Kidneys Pre-emptive eligibility- Adult and Pediatric patients Information Sheet

Updates to recipient eligibility and HLA matching policies include expansion of the eligibility criteria for non-HSP pediatric and pre-emptive patient groups, aimed at increasing their likelihood of receiving a transplant.

Please refer to IPOS kidney policies the CTR.50.001 - Recipient Eligibility Criteria and CTR.50.003 Matching and Ranking posted [here](#)

Adult Recipient Eligibility Criteria

To be registered for interprovincial kidney sharing, an adult transplant recipient must meet **ALL** the following criteria unless the recipient meets criteria under the "OR" category:

- The patient must be 19 years of age or older. A patient is considered an adult at 00:00 (Pacific Time) on their 19th birthday.
- The patient must have an unadjusted cPRA value $\geq 94.5\%$
- The patient must be undergoing chronic hemodialysis or peritoneal dialysis.
 - OR: A patient may be listed **pre-emptively** if their unadjusted cPRA is $\geq 99.5\%$ and if their eGFR is <15 ml/min/1.73m² using CKD-EPI 2021 formula.
- The patient must be wait-listed for a kidney transplant at a Canadian transplant centre.

Pediatric Recipient Eligibility Criteria


To be registered for interprovincial kidney sharing, a pediatric transplant recipient must meet **ALL** the following criteria unless the recipient meets criteria under the "OR" category:

- The patient must be under 19 years of age. A patient is considered pediatric up until 00:00 (Pacific Time) on their 19th birthday.
- The patient must have an unadjusted cPRA value $\geq 94.5\%$

OR: The pediatric patient may be listed with a cPRA $< 94.5\%$ only if they are looking for a **Class II (DRB1, DQA and DQB) 0/6 mismatch offer**.



- The patient must be undergoing chronic hemodialysis or peritoneal dialysis.
 - OR: Pediatric patients may be listed **pre-emptively** if their eGFR is <15 ml/min/1.73m², using revised bedside Schwartz formula, on 2 consecutive measurements at least 2 months apart.
 - The patient's eligibility should be reviewed every 3 months.
 - Note: Pediatric patients are ineligible pre-emptively if they have an approved compatible living kidney donor.
- The patient must be wait-listed for a kidney transplant at a Canadian transplant center.





A **pre-emptive pediatric patient** is eligible to participate in the IPOS kidney program in these two different cases in addition to meeting all other eligibility requirements detailed in CTR.50.001 policy.

- 1) Patient is pre-emptive with an **eGFR** of <15 ml/min/1.73m² and has cPRA of $\geq 94.5\%$
- 2) Patient is pre-emptive has a **cPRA** of $<94.5\%$, only matching with a class II 0/6 mismatch

A **pre-emptive adult patient** is eligible to participate in the IPOS kidney program in these two different cases in addition to meeting all other eligibility requirements detailed in CTR.50.001 policy.

- 1) The patient is pre-emptive with an **eGFR** of <15 ml/min/1.73m² and has cPRA of $\geq 99.5\%$

Matching and Ranking

Time on CTR wait list (number of days starting on the date of eligibility in CTR for pre-emptive patients is ranked below time on dialysis).

The CTR checks for pediatric age nightly at 12 AM PT, at midnight of the patient's 19th birthday. They would age out and lose eligibility or remain eligible for the registry as an adult if they meet criteria. .

Reminders for Transplant programs

- Please note transplant programs are responsible for ensuring all eligible patients are listed in the Canadian Transplant Registry.
- While an eGFR of <15 ml/min/1.73m² is a requirement as per policy, the CTR does not require this field to be filled or validate this value. Reminder to confirm requirements to be listed against most current policy documents posted on the CBS professional education site.
- You may enter in the **eGFR**, click on the **Health** tab -> **Test and Diagnostic** section -> **Renal Profile** for eGFR-Schwartz for Pediatric and eGFR-CKD/EPI for Adults
- For a **recipient listing** to be complete the following minimum data is required:
 - An active Kidney organ request for the Deceased Waitlist (IPOS) program
 - Their blood group (ABO) is defined
 - Their HLA Typing is entered and complete
 - At least one HLA Serum result is entered, and the cumulative cPRA data is confirmed.



**Canadian
Blood
Services**

BLOOD
PLASMA
STEM CELLS
ORGANS
& TISSUES

For Information only
2025-04-04

- In addition to the above please fill out the **Kidney health tab** information checking the box to confirm whether your patient is currently on **dialysis**, or **pre-emptive**.
- If/when the patient previously listed as pre-emptive were to start dialysis, the status will have to be changed as soon as possible, the CTR will calculate days on dialysis from that point.
- The **HSP Wait-time calculator** found [here](#) is a tool that models the time a patient could potentially wait for an offer. If the criteria in the calculator is set to seeking a class II offer, this could help inform the transplant physician of an estimated wait time calculation for a potential better match for their patient.

Reminders for Organ Donation Organization

- Note to donor coordinators that in the offers tab and side by side report, **non-HSP pediatric patients who are matched with donors at a class II 0/6 mismatch will now appear.** There will be no flag in the CTR to depict this is a Class II 0/6 mismatch offer. Please review the non-HSP pediatric recipient eligibility criteria.
- In the offers tab and side by side report, **adult and pediatric patients who are pre-emptive may appear.** Please review the non-HSP pediatric recipient eligibility criteria in the policy linked on page one CTR.50.001 to familiarize with these updates.